
Customized Test System for ABS Motors

APPLICATION

Magtrol designed this Custom Motor Test System specifically to test Anti-Lock Braking System (ABS) motors in a laboratory environment. The ABS to be tested is comprised of 12-volt DC motors with speeds up to 6000 rpm, 425 oz-in (3 N·m) output and 200 amps peak current draw.

COMPONENTS

- Heavy-Duty Equipment Rack
- Dynamometer Table
- HD-700 Hysteresis Dynamometer
- DSP6001 High-Speed Programmable Dynamometer Controller
- M-TEST 4.0 Motor Testing Software
- 6510e Single-Phase Power Analyzer
- Eccentric Coupling

COUPLING

The dynamometer is fitted with a special eccentric coupling that offsets the eccentric output of the ABS motor shaft, converting it to centric rotation.

www.magtrol.com

MAGTROL INC

70 Gardenville Parkway
Buffalo, New York 14224 USA
Phone: +1 716 668 5555
Fax: +1 716 668 8705
E-mail: magtrol@magtrol.com

MAGTROL SA

Centre technologique Montenaz
1728 Rossens/Fribourg, Switzerland
Phone: +41 (0)26 407 3000
Fax: +41 (0)26 407 3001
E-mail: magtrol@magtrol.ch

Subsidiaries in:

- Germany
 - France
 - Great Britain
 - China
- Worldwide Network
of Sales Agents

Certified ISO 9001 : 2000 by



n° 150887