

---

## Customized Test System for ABS Motors

---

### APPLICATION

Magtrol designed this Custom Motor Test System specifically to test Anti-Lock Braking System (ABS) motors in a laboratory environment. The ABS to be tested is comprised of 12-volt DC motors with speeds up to 6000 rpm, 425 oz-in (3 N·m) output and 200 amps peak current draw.

### COMPONENTS

- Heavy-Duty Equipment Rack
- Dynamometer Table
- HD-700 Hysteresis Dynamometer
- DSP6001 High-Speed Programmable Dynamometer Controller
- M-TEST 4.0 Motor Testing Software
- 6510e Single-Phase Power Analyzer
- Eccentric Coupling

### COUPLING

The dynamometer is fitted with a special eccentric coupling that offsets the eccentric output of the ABS motor shaft, converting it to centric rotation.



[www.magtrol.com](http://www.magtrol.com)

#### MAGTROL INC

70 Gardenville Parkway  
Buffalo, New York 14224 USA  
Phone: +1 716 668 5555  
Fax: +1 716 668 8705  
E-mail: [magtrol@magtrol.com](mailto:magtrol@magtrol.com)

#### MAGTROL SA

Centre technologique Montena  
1728 Rossens/Fribourg, Switzerland  
Phone: +41 (0)26 407 3000  
Fax: +41 (0)26 407 3001  
E-mail: [magtrol@magtrol.ch](mailto:magtrol@magtrol.ch)

#### Subsidiaries in:

Great Britain  
Germany • France  
China • India

Worldwide Network  
of Sales Agents

